
12' ×12' Metal Patio Gazebo

ASSEMBLY MANUAL



MODEL#:LGMF1588

Missing part? Damaged? Contact us via email at domiservice01@outlook.com

© Copyright 2022-2024 domi LLC. I All Rights Reserved.

Pre-assembly



1.Two or more people are required for assembly.



2.You will need one or more stepladders.



3. Wearing protective gloves is recommended.



4. You may need a safety hat.



5. Please use a Phillips screw driver.



6.For ease of construction, you may need a drill.



7. You may need a safety goggle.




8.Do not fully tighten screws prior to complete assembly.


Warning & Attention


- -Try to assemble this product on the flat ground, otherwise it is difficult to carry out;
- -It would be much easier to assemble the product with three or more people;
- -After assembly, please check whether all screws are tightened, to prevent parts from falling apart.


▲ Use bolts to secure the frame to the ground to against the strong wind.




depth of it is over 3 inch, you can use 5/16 in. ×4 in. Structural Wood Screw to mount the gazebo.











Or you can make a concrete footing for gazebo, $15 \times 15 \times 15$ inches is recommended use expansion bolts to mount the pergola like (2) shows.


IMPORTANT: Anchor is not recommended
















































M6x16

8)12x

Assemble the 4 Corner Roof Bars:





(1) Connect Part #E1 and Part #E with 2 Bolts #8.




- (2) Attach Part #U to Part #E with Bolt #8.
- (3) Repeat the above procedures to assemble the other 3 corner roof bars.

11








(2) Connect Part #E2 and the Assembled Beam(C&C1) with part #U1. Secure with 2 Bolts #8.

Inside View


(3) Repeat the above procedures to assemble the other 3 sides.




(S1) 1x





Secure Part #T to Part #S and Part #S1.





ATTENTION: The holes of Part #S and Part #S1 need to be aligned, on the same vertical line.




















































How to Put the 112 Hooks into the Double-track

Double-track

