



SUPPORT YOUR IMAGINATION

About Selens

Selens was founded in 2011 and has been in the industry of photography lighting equipment and related accessories for 12 years. Selens is committed to provide excellent solutions to behind-the-scenes workers in the field of photography and film making. We attach great importance to user experience and listen carefully to needs and desires, which inspires us to create better products that help users to complete their jobs more easily and efficiently.

Selens' products focus on user-friendly, simple and convenient concepts, allowing users to focus on creation and allowing imagination to be freely released without the constraints of technical problems.

Selens products are engineered to provide incredible strength and durability in the toughest environments and are recognized by industry professionals.



Icon Description



Maximum Height



Minimum Height



Closed Length



Spindle Diameter



Product Weight



Maximum Load



Product Size

Contents

- 04 EasyStation Cart Workstations
- 06 RigTree System
- 07 Studio Accessories
- 08 Camera & Phone Cages
- 12 Camera L-Plates
- 15 Camera Accessories
- 28 Tripod Heads
- 31 Micro Heads

- 32 Tripods
- 34 Batteries
- 38 Studio Storage Carts
- 39 Studio Accessories
- 40 Director Chairs
- 41 Apple Boxes
- 42 FOLD Folding Carts

EasyStation Cart Workstations

Cart workstation, manufactured with CNC precision, is sturdy and durable, and can bear a load of more than 200kg.

The top and bottom plates can be snapped and locked, and the remaining components are placed in the internal cavity and transported using external wheels and handles. It is easy to transport and does not take up space. The director's car comes in 3 sizes: 30", 40", and 55". Different sizes meet different needs.

There are abundant expansion interfaces on the four sides of the enclosure to facilitate the connection of various external accessories. The long side fence of the upper platform can be folded and can be used as a temporary office platform.















40" Cart Workstation SCF2-CW40



55" Cart Workstation SCF2-CW55

Item	Size	Storage size	Weight	Load Bearing	Material
SCF2-CW30	87.3cm x 67.5cm x 102.5cm	87.3cm x 67.5cm x 18.5cm	48.4kg	200kg	Steel + Aluminum Alloy
SCF2-CW40	112.7cm x 67.5cm x 102.5cm	112.7cm x 67.5cm x 18.5cm	53kg	200kg	Steel + Aluminum Alloy
SCF2-CW55	150.8cm x 67.5cm x 102.5cm	150.8cm x 67.5cm x 18.5cm	62.5kg	200kg	Steel + Aluminum Alloy

EasyStation Cart Workstation Accessories



100mm Bowl Adapter SCF2-BA100







150mm Bowl Adapter SCF2-BA150







Tripod Holder Attachment SCF2-TH









Heavy Duty Stand Hanger









Light Stand Hanger

SCF2-SHL







Cable Hooks









C-Stand Storage Clamps SCF2-MR







Bowl Mount Kit SCF2-CM



C-Stand Hangers SCF2-LH





Two-Stage Corner Mast Riser
SCF2-MR2







RigTree System



Television Mount









767g 11.5x11.5x13.5cm



Single Mounting Point









Extension Grip Arm SAB13-AE









M28 Main Pole SAB13-500M28







Quick Release Monitor Mount Plate FL115A FL115C







Swivel Arm SAB13-AP







Boom Arm SAB13-AS







Triangle Extension Arm
SAB13-AL





Studio Accessories



Tripod Mount

SDL290B







Laptop Bracket Kit

SDL290A







Mouse Pad

SDL290C







Universal Power Bank Holder

SC36







Universal Holder for External SSD

SC40











Double Mounting Point

SAB13-C2

460g 8.3x6.2x11.3cm





Desk Mount kit SAB13-B







SAB13-C1























Camera & Phone Cages

Camera cage is made of metal, fits the camera without blocking the interface, buttons, battery and screen.

Currently supports Sony, Canon, Nikon, etc.

The camera cage has reserved multiple cold shoes, 1/4, and 3/8 threaded holes to facilitate the connection of external equipment, such as top handles, side handles, magic arm, etc.



Camera cage is made of aluminum alloy, processed by CNC, and molded accurately according to the camera.



More interfaces: cold shoes, 1/4 threaded hole, 3/8 threaded hole, etc., can be expanded with accessories.



Built-in magnetic wrench, easy to use at any time without fear of loss.



Silicone anti-slip pad to prevent camera from rotating.



Camera Cage for Sony ZV-E1

ZV-E1-W









Camera Cage for Sony FX3 / FX30

FX3-B







Camera Cage for Sony A6700

А6700-В







Camera Cage for Sony

A74II-B



102g 10x8x3.8cm

10

Suitable for Sony A1 / A74 / A7R5 / A7S3 / A7R4 / A73 / A7R3 / A7S2



Camera Cage for SonyA7CII / A7CR A7CII/A7CR-B





158g 14x9.1x5.7cm



Camera Cage for Canon EOS R10 SRC8-R10-B



127g 13.8x11x6.2cm



Camera Cage for Camera Cage for Canon EOS R8 Canon EOS R7 SRC8-R8-B SRC8-R7-B









Camera Cage for Canon EOS R6 Mark II SRC8-R6II-B







Camera Cage for Nikon Z5 / Z6 / Z7 / Z6II / Z7II SRN8-Z6-B









Camera Cage for Nikon Z8









Camera Cage for Lumix S5II / S5IIX

SRP8-S5II-B







Camera Cage for Fujifilm X-TŠ SRF8-XT5-B







Camera Cage for









Cage for Atomos Ninja Series SRA8-NinjaV-B





Ninva V / V+ / Ultra / Shinobi



Atomos Conncet Kit for Ninja Series Cage SRA8-NinjaV-CK-B





Ninva V / V+ / Ultra / Shinobi



Universal Phone Cage SRM8-U1223







Camera L-Plates

The L-plate has ARCA quick-release slots on the bottom and sides, support quick switch between horizontal and vertical shooting modes.

It made of metal, improve the expandability of the camera and protect the camera.

It is precisely made according to the size of the camera and without blocking the camera ports, buttons, battery compartment and display.



L-plate is made of metal and is made with CNC technology. It is precisely made according to the size of the camera and has precise hole positions.



Anti-slip sheet on the bottom to prevent the camera from spinning and scratching.



Some L-plate side panels adopt a pull-out design, leaving space for



Some L-plate side panels adopt a detachable design and can be disassembled and assembled according to shooting needs.



1/4, 3/8 screw holes for expansion of accessories, such as microphones, lights, etc.



Some L-plate battery compartment covers adopt a flip design to avoid blocking the battery compartment.



Built-in hexagonal wrench or flat wrench, magnetic storage to prevent loss.





L-Plate for Canon EOS R5 / R6

SLC8-R5-B







L-Plate for Canon EOS R6 Mark II

SLC8-R6II-B







L-Plate for Canon EOS R8

SLC8-R8-B







L-Plate for Sony A7R4

SLS8-A74-B







L-Plate for Sony A7S3

SLS8-A7S3-B









L-Plate for Nikon Z5 / Z6 / Z7 / Z6II / Z7II

SLN8-Z6-B









Arca Quick Release Plate (small size)

FS55









Arca Quick Release Plate (large size)

FS70







Tethering Plate

SEO8-76





For installation at the bottom of the camera, it provides the function of fixing external cables. Comes with multiple 3/8 and 1/4 screw holes for easy attachment of L-plate and other accessories



Arca Quick Release Clamp (small size)

SC-22





Made of aluminum alloy, compatible with Arca standard quick release plate. Millimeter scale prompts to accurately control the camera installation position.



Arca Quick Release Clamp (large size)

SC-38







Made of aluminum alloy, compatible with Arca standard quick release plate. Millimeter scale prompts to accurately control the camera installation position.



Cable Clamp

CXJ2024





Made of aluminum alloy, compatible with V-mount battery. Fixed with double screws to prevent deflection and support adjusting the screw position



V-Mount Battery Plate

SEO8-40





147g 15x9.3x4.1cm

Made of aluminum alloy, compatible with V-mount battery. Fixed with double screws to prevent deflection and support adjusting the screw position.



NATO Rail-32mm

SE08-32





Aluminum alloy material, ARRI positioning column design prevents slider deflection. Anti-falling design on both ends to prevent accidental falling off.



NATO Rail-48mm

SE08-48





Aluminum alloy material, Fixed with double screws to prevent the slider from deflecting. Anti-falling design on both ends to prevent accidental falling off.



L-Plate for Sony A7II / A7III / A9

SLS8-SA73-B







15mm Rod

Ф15x20.5cm 47g Ф15x30.5cm 70q Ф15х40.5cm 95g

15mm standard aperture, can assist in installing follow focus, lens support, camera cage, L-plate and other equipment. Can be used in combination with two rods



15mm Lens Support

SEO8-LS15





Made of aluminum alloy, 15mm hole spacing, 60mm tube spacing, 4-section detachable 1/4 support column, height adjustable according to lens size.



Dual 15mm Rod Clamp SFQ13-M15DA





14.7x10.4x6.5cm

Made of aluminum alloy, Manfrotto standard, supports disassembly and assembly in 4 directions to avoid being blocked by matte boxes, V-mount battery etc.15mm hole diameter, 60mm hole spacing, multiple 1/4 and 3/8 hole positions, the bottom can be used with ARRI standard dovetail plate.



V-Mount Battery Plate



Compatible with most V-mount batteries on the market. Expansion holes are abundant and different accessories can be connected



15mm Rod Clamp SE08-S03





15mm standard aperture, widely compatible.



15mm Rod Clamp - 90° SE08-S01





15mm standard aperture, widely compatible. 90 degree two-way conduit clamp, quickly switch between horizontal and vertical orientations.







SER8-1215





SEO8-78



129g 19.3x11.5x5.3cm



15mm Rod Clamp -1/4 Screw Hole SE08-S02






1.9x5x3.4cm

15mm standard aperture, widely compatible. 5 1/4 screw holes to support expansion of various equipment and accessories.


Camera Accessories

Standard Lightweight Dovetail Plate

Made of aluminum alloy, standard slide, compatible with catheter base. There are 8 inch, 10 inch, and 12 inch, fixed with front and rear double insurance. The base plate has multiple 1/4 and 3/8 screw holes for easy installation on Fluid Head or tripod.



8" Dovetail Plate



10" Dovetail Plate





12" Dovetail Plate

Item	Size	Material	Weight
SEQ8-AD8	255*104*41mm	Aluminum alloy	252g
SEQ8-AD10	312*104*41mm	Aluminum alloy	295g
SEQ8-AD12	362*104*41mm	Aluminum alloy	360g















ARRI Locating Top Handle







NATO Top Handle SHL-8N







Side Handle-1/4"Screws









Side Handle-NATO SHS8-2555







280g 11.6x8.1x5.8cm



NATO Articulating Arm SEB8-SYBH1N

The ball head supports adjustment in 4 directions and 360° rotation. NATO stand, faster disassembly and assembly. The ball head connector can be freely



Articulating Arm 1/4" Screws SEB8-SYBH2A

The ball head supports adjustment in 4 directions and 360° rotation. Theball head connector can be freely expanded.

Item	Size	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SEB8-SYBH1N	12.6x4.3x3.7cm	Aluminum alloy	100g	6kg	1/4、3/8	3/8
SEB8-SYBH2A	11x5x2.5cm	Aluminum alloy	97.5g	6kg	1/4、3/8	3/8

Camera Accessories



Arca-Type Quick Release Mount & Plate

SPQ13-QL02







Quick-Release Plate

SPQ13-QL01D







Quick-Release Kit SPQ13-QL01







Quick-Release Clamp

SPQ13-QL01C







Quick-Release Plate

SPQ13-QL01A









Camera Accessories



Cold Shoe Expanded Bracket

SEC8-CS92





Double cold shoe expansion, double cable trough, wires are fixed properly and orderly. Multiple 1/4 screw holes are reserved to flexibly install a variety of equipment



Cold Shoe Expanded Base

SEC8-SYT3









17.3g 3.3x2.5x0.9cm

9-18mm hole spacing adjustable design, suitable for various types of accessories

Cold Shoe Expanded Base



Cold Shoe Expanded Base SEC8-SLAS1/4





For camera cage



Cold Shoe Expanded Base

SEC8-33



1 5x2 6x3 3cm

Universal base, compatible with all types of cold shoe accessories



Cold Shoe Expanded Base SEC8-SYT14-RX4





4.5x2.9x2.2cm

Multifunctional universal base, can be expanded with a variety of photography accessories such as fill lights, mobile phone clips, microphones, etc.



Strap-on Cold Shoe Base





Equipped with one 6.5CM and one 10CM rubber strap, suitable for various pipe diameters.





Multi Clamp

SLC4-SCM01





Magnetic design, can rotate to adjust the angle, maximum flat surface clamping up to 6.5cm, maximum clamping diameter up to 10cm



Crab-Shaped Clamp

SMC3-SCM02





Whether it is a square column or a cylinder, it can be easily clamped and can bear a maximum load of 20kg



Suction Cup Mount Support

SFS13-SSP-3





8KG high suction power, no trace left after repeated adsorption. With 1/4 adapter threaded hole



Universal Phone Holder SMM13-4765







Suitable for 4.7-6.5 inch mobile phones



Universal iPad Holder

SMM13-8200





Universal mobile phone and tablet combination, can accommodate tablets with widths from 8-20cm



Magnetic Phone Holder

SEO8-M28





Strong magnetic attraction, can be firmly adsorbed on iron products



Magic Ball 3 Rods Kit SE-M003





Made of aluminum alloy, the ball body has 18 holes



Magic Ball 6 Rods Kit SE-M006





Made of aluminum alloy, the ball body has 18 holes



Magnetic Phone Holder

SMM13-60





Camera Accessories



Stabilizer Belt **SAO-13GB01**





411.5g 10.4x11.4x5.5cm

Compatible with 0-40mm outer diameter equipment, supports 180° rotation



Power Supply Base Plate for DJI Ronin SPO5-RS3PB





The power supply base is made of aluminum alloy and can power the DJI Ronin stabilizer. D-tap and

Applicable Model: DJI RS3 / RS3 PRO

0B2 interface support 13-17V input and output.



Quick-Release Camera Strap

SCS2-118





Magnetic pull button design makes loading and unloading safe and fast. Free wire safety rope



Dual Handgrip for DJI RS2 / RSC2 / RS3 / RS3 Pro

SHS8-2540





208g 5.5x7.4x11.6cm



D-tap to 0B2 2-Pins Power Cable

DTAP-OB2-1.5-SH Straight head (1.5m)

DTAP-OB2-1.5-BH Bent head (1.5m)





Special power supply cable for DJI RS2\RS3 stabilizer power supply base, metal aviation




Camera Accessories

The mini tripod is small in size and large in load-bearing capacity. It is suitable for most heads and mobile phone holders on the market and is easy to carry. Suitable for mirrorless, SLR cameras, camcorders, DV, mobile phones and other equipment.





















Industrial suction cup, super suction power, stable adsorption. Features multiple 1/4 and 3/8 threaded holes, compatible with various accessories.





3" Suction Cup Camera Mount SFS13-SC30









4.5" Suction Cup Camera Mount SFS13-SC45









6" Suction Cup Camera Mount SFS13-SC60





Camera Accessories



Car Mounting System

SK-1





All-aluminum alloy tripod stand, the stand legs can be stretched 30-50cm at will. With 3/8 screws, suitable for most gimbals



Shock Absorbing Cradle Head

SSPB-6







Tripod Heads



Ball Head (25mm)

SP13-BH25

Sphere diameter 25mm. The gimbal locking wrench can be pulled out to better adjust the angle. The base has a 360° horizontal scale for easy panoramic shooting.







Ball Head (30mm)

BH-30-2K-B

Sphere diameter 30mm. The gimbal locking wrench can be pulled out to better adjust the angle. The base has a 360° horizontal scale for easy panoramic shooting. The locking knob of the quick-release plate is equipped with a level, which can adjust the horizontal position more accurately when shooting vertically.





Ball Head (40mm)

SP13-BH40

40mm sphere, low center of gravity, more portable and stable. Dual panoramic design, any tilt can achieve horizontal shooting needs. 360° horizontal scale for easy panoramic shooting. Double knobs, the damping can be adjusted freely and can be quickly rotated and tightened. 90° opening and vertical groove design quickly fix the vertical shooting angle. The clamp base level facilitates quick and precise adjustment of the horizontal position.










Item	Color	Ball Diameter	Size	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SP13-BH25	Black	25cm	74x73x50mm	Magnesium aluminum alloy	190g	6kg	1/4	3/8
BH-30-2K-B	Black	30cm	85x60x55mm	Magnesium aluminum alloy	370g	6kg	1/4	3/8
SP13-BH40	Black	40cm	60x60x82mm	Aluminum alloy	455g	8kg	1/4	3/8



Micro Heads

Hydraulic Head SP13-VH500











Panoramic Head (60min)

SP13-PH60

360° automatic rotation, panoramic time-lapse shooting, up to 2 hours, with segment scales of 15, 30, 45, and 60 minutes.



Note: When the lens exceeds 50mm, it needs to be adjusted with a fine-tuning quick-release plate, otherwise it cannot be used (the quick-release plate needs to be purchased separately)



Panoramic Head (120min)

SP13-PH120

360° automatic rotation, panoramic timelapse shooting, up to 2 hours, segmented scales of 30, 60, 90, 120 minutes.



Note: When the lens exceeds 50mm, it needs to be adjusted with a fine-tuning quick-release plate, otherwise it cannot be used (the quick-release plate needs to be purchased separately)



Micro Panoramic Ball Head SP13-MBP19







Item	Height	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SP13-VH500	10.7cm	Aluminum alloy	780g	15kg	1/4	1/4、3/8
SP13-PH60	4.2cm	Aluminum alloy	210g	0.45kg	1/4	1/4
SP13-PH120	4.2cm	Aluminum alloy	219g	1.2kg	1/4	1/4、3/8
8SP13-MBP19	6.2cm	Aluminum Alloy	140g	8kg	1/4	3/8



Micro Ball Head

SP13-BH19

The upper part on the head can be used in both positive and negative ways, and the 1/4 screw and cold shoe mount can be switched to make it easier to install and use more equipment. 360° panoramic shooting, 135° opening, and can be rotated forward and backward for easy vertical shooting.







Adjustable Monitor Mount

SP13-SYT2

The compact and easy-to-carry head is only 1/3 the size of a credit card. It can rotate 180° forward and backward and 360° horizontally to easily adjust the shooting angle.







Micro Ball Head II

SP13-BH19II

Based on the first generation of the micro ball head, a cold shoe mount is added on the side to allow more external devices to be connected. The 1/4 screw and cold shoe mount can be switched to facilitate the installation and use of more equipment. The opening design allows the ball to rotate 135° forward and backward, making it easy to shoot vertically.









Adjustable Monitor Mount

SP13-SYT3

The upgraded version of the adjustable monitor mount has enhanced loadbearing capacity and a built-in gear mechanism. The angle adjustment support is stronger and not easy to loosen. It can rotate 180° forward and backward and 360° horizontally.



Item	Height	Material	Weight	Load Bearing	Camera Screw	Chassis Screw Hole
SP13-BH19	5.5cm	Aluminum alloy	64g	5kg	1/4	1/4
SP13-BH19II	5.5cm	Aluminum alloy	70g	5kg	1/4	1/4
SP13-SYT2	4.3cm	Magnesium aluminum alloy	41g	4kg	1/4	1/4
SP13-SYT3	5.5cm	Aluminum alloy	150g	3kg	1/4	1/4



Tripods

Eccentric tube tripod with head

The five-section leg tube is widely telescopic and has an eccentric tube design. You only need to rotate the leg tube counterclockwise to compress it back. The central axis is retractable and removable, and can be used as a monopod and retractable selfie stick.

1/4 universal screw port,180° folded for storage, easy to carry.



Selens Type-C Quick Charge Battery

⁷24℃ mAh, HIGH CAPACITY





lasting battery life

34



The battery has a Type-C interface, eliminating the need to carry a charging



about 720 beautiful pictures and record videos for about 3 hours



Sealed storage box, waterproof, dustproof and pressure-proof, with sponge pad lining to protect the battery

Batteries

It uses the original battery cell of the camera, and the battery has a type-C interface for easy charging. Paired with the Selens white battery box, it can charge two batteries at the same time, or it can be used as a power bank to charge phones and other devices.



Battery for Nikon EL15

TEN-EL15





Suitable for Nikon: Z7 II 、Z6 II 、Z7、 Z6、Z5、D850、D810A、D810、D800、 D800E、D750...



Charging Case for Nikon EL-15

DB-EL15





Suitable for Nikon battery: Z7 II 、 Z6 II 、 Z7、Z6、Z5、D850、D810A、D810、D800、 D800E、D750..



Charger for Nikon EL-15

DL-EL15





56a 9.5x5.5x4cm

Suitable for Nikon battery: Z7 II 、 Z6 II 、 Z7、Z6、Z5、D850、D810A、D810、D800、 D800E、D750..



Battery for Sony FZ100

TNP-FZ100 NP-FZ100



81g 5.1x3.8x2.2cm

Suitable for Sony: A9、ILCE-9、A7R V、 A7R III、A7 III、A6600、A7S III、A7C、 A9 II 、A7R IV、FX30...



Charging Case for Sony FZ100

DB-FZ100



144g 13.5x9.5x3cm

Suitable for Sony battery: A9, ILCE-9, A7R V 、A7R III、A7 III、A6600、A7S III、A7C、 A9 II 、A7R IV、FX30..



Battery for Fujifilm

Type-C Battery

NP-W235

TNP-W235

TNP-W235

5.1x3.8x2.2cm

GFX 50S、X-H2、X-H2S..

Suitable for Fujifilm: X-T4, X-T5, GFX 100S,



Charger for Sony FZ100

DL-FZ100





Suitable for Sony battery: A9、ILCE-9、A7R V 、A7R III、A7 III、A6600、A7S III、A7C、 A9 II 、A7R IV、FX30..



Charger for Fujifilm NP-W235

DL-W235





Suitable for Fujifilm battery: X-T4, X-T5, GFX 100S、GFX 50S、X-H2、X-H2S...

PD two-wayfast charging, 100W high power output

HIGH ENERGY FAST CHARGING



Batteries

Dual D-TAP interface, Type-C 100W input and output power.BP/D-TAP 207W output power,DC power supply from 8V to 12V.









Type-C fast charging can be used as a power bank to power devices

High-performance imported BMS intelligent control chip

OLED display, real-time display of parameters







SB05-V99

SBO5-V155

SBO5-V207

Item	SB05-V99	SB05-V155	SB05-V207
Material	Aluminum alloy	Aluminum alloy	Aluminum alloy
Capacity	6700mAh 99Wh	10500mAh 155Wh	14000mAh 207Wh
Charging port input	100W	100W	100W
BP/D-TAP input	5A(MAX)	5A(MAX)	5A(MAX)
BP/D-TAP output	14.8V/14A(MAX)	14.8V/14A(MAX)	14.8V/14A(MAX)
USB-C input	5V/3A、9V/3A、12V/2A、12V/3A	、15V/3A、20V/5A、20V/3.25A、9V-12V/	2A、4.2V-9V/3.25A
USB-C output	5V/3A、9V/3A、12V/2A、12V/3A	、15V/3A、20V/5A、20V/3.25A	
DC output	8V/2A(MAX) / 12V/2A(MAX)		
Optional charging methods	16.8V D-TAP Charger、USB-C Char	ger(USB-C charger that supports PD fast cl	harging and gallium nitride charger, supports up to 100W)
Product Size	101*73*56mm	101*73*77mm	101*73*94mm
Weight	0.7KG	0.96KG	1.2KG

Studio Storage Carts

The Studio storage cart is made of density board with PVC edging on the surface. Each small grid is 11.5x11cm, with a 53° bevel design. The heights of the upper, middle and lower floors are 69cm, 59cm and 49cm respectively. The grid size can be freely combined according to the size of the photographic equipment. Rubber universal wheels with braking function, flexible and convenient to move. Can store tripods, light stands, background paper and other photography accessories.







SDS12-SC18-W



SDS12-SC18-B

Item	Size	Color	Number of storage compartments	Weight
SDS12-SC12-W	52x36.5x76.5 cm	White	12 Squares	19.3kg
SDS12-SC18-W	76x36.5x76.5 cm	White	18 Squares	22.3kg
SDS12-SC18-B	76x36.5x76.5 cm	Black	18 Squares	22.3kg





Rubber caster wheel with

Studio accessories



Handheld Smoke Machine kit

SS12-SM187





0.28kg 18.7x16x4cm

Vegetable glycerin, colorless and odorless. Disposable smoke pod, fixed with magnets, easy to disassemble and assemble.



Studio Blower

CF-01





120W high power, 5.5m³/min air volume, stepless adjustment of wind power



Studio Hook SEH8-140





Large hooks for hanging various softboxes and studio tools



Smoke Pod

SS12-SM53





Capacity 17ml (can be used for about 900 seconds)



Studio Fan

SFB12-SF01







Stainless steel Director Chair

Made of 600D Oxford cloth, wear-resistant and dirt-resistant, breathable and quick-drying. Folds for storage and takes up no space. Steel chair frame, light and stable, weighing only 4.5kg. The back is designed with Velcro, and corresponding Velcro can be attached according to the position on the set.

Item	Size	Material	Weight
SDO12-DC82	55x46x82 cm	Stainless steel + Oxford cloth	4.5kg





Folded State

Replaceable Identification Tag









Director Chair L SDO12-DC118-L



Director Chair S SDO12-DC90-S The main body is made of poplar wood, which is tough, high-strength and corrosion-resistant. The backrest and seat cushion are made of canvas. The tall version has removable footrests for added comfort.

Foldable design, easy to carry.

Item	Size	Specification	Material	Weight
SD012-DC118-L	56x55x118 cm	L	Poplar + Canvas	6.9kg
SD012-DC90-S	43.5x35.5x90cm	S	Poplar + Canvas	5.72kg

Folded State



Apple Boxes

The apple box is a wooden box made of nine-layer panels. It is hard and resistant to compression. It is mainly used as an auxiliary tool for film and television shooting. The Selens apple box adopts a newly upgraded magnetic design, which allows the lid and box body to be tightly attached and not easy to slip off. It is usually used to support and flatten the track of the camera. It can keep the camera running smoothly even on soft sand. It can be used as a temporary seat, to raise the direction of the control light, to increase the height of the actors, etc. It is an indispensable part in film and television shooting. Missing props.



Item	Size	Material	Weight	
SDA12-AB50	30x50x22 cm	Poplar	8.6kg	





Optional Accessories







FOLD Folding Carts

The folding cart is specially designed for outdoor photography. It has a large capacity and strong load-bearing capacity. It can store various equipment at will and is easy to access.

The handlebar design at the bottom of the cart allows the cart to be folded quickly, making it more convenient to use and taking up less space.

Folding cart have two different wheels to choose from - narrow wheels and sand wheels. The narrow wheels are made of rubber and have deep tire treads; the sand wheels have a larger ground contact area and are more wear-resistant, and can pass through soft textures such as beaches, grass, and muddy roads. Front wheel foot brake design makes parking safer and more secure.





Folding lever, adjustable multiple angles



Side handle design makes it easier to carry horizontally after storage



Foldable for storage, taking up no space and easy to carry

Optional Accessories







Folding Cart (Narrow Wheel)

SCF2-SLC-80



Folding Cart (Sand Wheel)

CF2		PYAT

Item	Size	Storage Size	Weight	Load Bearing	Fabric Material
SCF2-SLC-80	80x45x70cm	45x25x85cm	9.38kg	100kg	600D Thickened Oxford Cloth
SCF2-SLC-90	80x45x70cm	30x20x70cm	9.0kg	100kg	600D Thickened Oxford Cloth



 	 -
 	 -

Company: Guangzhou Selens Information Network Technology Co., Ltd.

TEL: +86 20 83802251

Email: marketing@selens.com

www.selens.com







Facebook



WeChat



Bilibili