


Cirkus Chandelier



SPECIFICATION SHEET



DESCRIPTION

CIRKUS approached function and technology with a playful gesture. U-shape modules can be moved and directed in diverse orientations. CIRKUS collection comes with a wall lamp, a track rail lamp, and two types of chandeliers to become a playful customized centerpiece in diverse spaces.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VK-202209081419-057
Fixture Dimensions	D 23.6" x H 14.8" (4 heads)
Light source	Integrated LED
Wattage	~ 56W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included).
Finishes	Black, Gray, Terracotta, Blue.
Shadow Details	Black, Gray, Terracotta, Blue.
Material	Coated ABS, Aluminum.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

CIRKUS approached function and technology with a playful gesture. U-shape modules can be moved and directed in diverse orientations. CIRKUS collection comes with a wall lamp, a track rail lamp, and two types of chandeliers to become a playful customized centerpiece in diverse spaces.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VK-202209081419-065
Fixture Dimensions	D 31.5" x H 14.8" (6 heads)
Light source	Integrated LED
Wattage	~ 84W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included).
Finishes	Black, Gray, Terracotta, Blue.
Shadow Details	Black, Gray, Terracotta, Blue.
Material	Coated ABS, Aluminum.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

CIRKUS approached function and technology with a playful gesture. U-shape modules can be moved and directed in diverse orientations. CIRKUS collection comes with a wall lamp, a track rail lamp, and two types of chandeliers to become a playful customized centerpiece in diverse spaces.


SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VK-202209081419-081
Fixture Dimensions	D 39.4" x H 14.8" (8 heads)
Light source	Integrated LED
Wattage	~ 100W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included).
Finishes	Black, Gray, Terracotta, Blue.
Shadow Details	Black, Gray, Terracotta, Blue.
Material	Coated ABS, Aluminum.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.



SPECIFICATION SHEET



DESCRIPTION

CIRKUS approached function and technology with a playful gesture. U-shape modules can be moved and directed in diverse orientations. CIRKUS collection comes with a wall lamp, a track rail lamp, and two types of chandeliers to become a playful customized centerpiece in diverse spaces.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	VK-202209081419-073
Fixture Dimensions	D 47.2" x H 9.4" (3 heads)
Light source	Integrated LED
Wattage	~ 100W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included).
Finishes	Black, Gray, Terracotta, Blue.
Shadow Details	Black, Gray, Terracotta, Blue.
Material	Coated ABS, Aluminum.
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

