


Product Features :

Extra thick LED light

Touch switch with memory

Touch switch dim function

Installation And Operating Manual



For easy and safe installation, please refer to the following:

Read all instructions thoroughly before installing the enclosed product.

Read and take note of all safety, care and maintenance information.



WARNING AND SAFETY INSTRUCTIONS

Before assembling your LED Lighted Mirror fixture, please make sure that you carefully read through this instruction sheet, refer back to them during installation to ensure your product is fitted safely and correctly. Keep these instructions for future use.

WARNING Risk of Fire and Electric Shock

- All fittings must be installed in accordance with current IEE wiring regulations. If in doubt, consult a qualified electrician.
- Switch off the electrical supply at the main circuit board BEFORE installation and maintenance.
- Suitable for indoor use only. This product should be positioned well away from curtains and fabrics. Never cover the mirror.
- Regularly check the cord, the transformer and all other parts for damage, if any part is damaged the product should not be used.

INSTALLATION SAFETY

- Inspect the product immediately upon receipt for the transit damage or missing parts. Handle the product with care and protect against knocks to all sides and edges of the glass.
- Ensure there are no hidden pipes or cables in the wall before drilling.
- Wear suitable eye protection when drilling. Take care if drilling on tiled surfaces in case the drill slips.

CAUTION

The light source of this product is non-changeable light diodes (LED). Do not

PRODUCT DESCRIPTION & INFORMATION

CHECK PRODUCT LIST AFTER

OPENING THE PACKAGE

- LED Lighted Mirror - -1pcs
- Installation Manual - -1pcs
- Z-bar - -1pcs
- Wall Mount Screw - -7pcs (One as a spare part)




(TOOLS YOU MAY NEED)




PRODUCT DESCRIPTION


Model : EXD4-48X36



Model : EXD4-60X36




Model : EXD4-72X36



INSTALLATION PROC



OPERATION PROCESS



Button 1:

Short Press to turn on/off the light .

Press the switch button and hold on for 3-5seconds to active the dimmer function.

The first long press, brightness    strong to weak;

Second long press brightness from weak to strong



Button 2:

Gently press to change the color temperature.

First press causes the neutral light ,it is mixed light by 3000K+6400K;

Second press causes the warm light, it is 3000K



Button 3:

First short press ,anti-fog function works .

Second short press ,anti-fog function stops .

* All diagrams are for reference only. All model dimensions and proportions position will vary.

LED Mirror Power Source FAQ

Scenario 1

(Direct Wired)

This is the most common way to connect the mirror. The LED light & anti fog pad are both controlled by the built-in touch switch on the mirror.




*The LED light is dimmable.

Scenario 2

(Wall Switch)

By doing so, the mirror is now bridged to the wall switch. In order to turn on the mirror, the wall switch needs to be ON. The touch switch can be used to turn on the LED mirror and anti-fog pad. The mirror shuts down once the wall switch is flipped to OFF.

Internal Power Flow Diagram





DEAR CUSTOMER,

Thank you very much for using our products. We believe that you will like the 100% quality products that CASAINC bring to you. We will grateful if you could leave us a positive feedback.

The satisfaction of customer is our goal, if there is anything we can do to improve your shopping experience, please contact us!

Thanks again for your purchase sincerely, welcome to your next visit.



Get More Help by

Contact Phone Number : 001 888-257-3857

Service Contact : service@casainc.com

You can also view more products at
www.casainc.com