



Automatic cat litter box

Model:HIP-C101W

The picture is for reference only, please refer to the actual product!.

Please read the instruction manual carefully before using product.

Table of Content

- 1 Precautions
- 2 Packing List
- 3 Instructions
- 4 Use of APP
- 5 Cleaning and Maintenance
- 6 Common Failures and Troubleshooting Methods

1. Precautions

- This product should be placed indoors or similar indoor environment to use.
- Should be placed on a level hard ground or wooden floor.
- When transporting the product without package, please do not drag it without leaving the ground and handle with it carefully, otherwise the weight sensor will be damaged.
- The cat's weight should be 1.0kg -10kg.
- There is a magnet installed on the front of this product. Patients with pacemakers or related materials should consult their physicians before using this product.


2. Packing List

- Host ×1
- Power supply adapter ×1

- Special garbage bag (gift) ×1
- Manual ×1

3 Instructions

Product sketch



※Preparation before turning on


Before connecting the power supply adapter, make the following preparations (otherwise the weight sensor

of the device cannot initialize the data).

1. First load the cat litter onto the silicone tray (refer the MAX line).
2. Take out the collection bucket, put the garbage bag on him, and put the bucket back in its place.

※Turn on the device

Connect the adaptor to the device (IN DC 12V), the device automatically enters the standby state. Display interface and function operation.




- Working status: the green indicator light is flashing, indicating that the cleaning cabin is about to rotate; the green indicator light is on steady when the cleaning cabin is rotating.
- Weight display: when the cat is in use, it is displayed as the cat's weight.
- No bucket reminder: it will be displayed after the collection bucket is taken out. The voice will be broadcast, and the device will stop working.

- STOP: the cleaning cabin will stop when it is rotating, and it will be displayed when device in the induction protection and sterilization mode.
- Bucket full reminder: display when the bucket is full, and the device will stop working.

4. Use of APP

- Use your cell phone to search “tuyasmart” in app store or scan the QR code on the product. Then download and setup .
- The device is placed within the effective distance of WIFI, and the device is in standby.
- Switch on cell phone’s Wifi, location, Bluetooth, then open the APP, click "Add Device" on the homepage, and then click "Auto Scan".
- Immediately press the button under the display of device for 5 seconds, until hearing the "ticking" sound, and the WIFI icon flashes.
- Click "Access location" in the "Auto Scan" of the APP, and then click "Start Search".
- When searched for the "automatic cat litter box" and then click "Next". Enter the WIFI password and click confirm. Click “Done” after connecting and adding successfully.



Function	Description
Cat Weight	Real-time feedback of the cat's weight
Toilet times	Number of times cat go to toilet every day
One-click cleaning	Press once, the device will run one time for cleaning
Smart deodorizing (optional attachment)	null
Voice switch	On or off the voice of device
Trash can switch	Switch to large or small trash can
Timed sleep	Click to enter, you can add timing time.
Health management	Figure shows cat's weight, excretion times, excretion time duration
Delayed cleaning settings	Set the time from cat leaving to device cleaning

5. Cleaning and Maintenance

- Clean the top cover and surface

Please unplug the power supply adapter, use a clean, soft, damp cloth with some detergent to wipe.

※ Note: There is a circuit board inside the product, and liquids are not allowed to enter.

- Clean the cleaning cabin and collection bucket

The cleaning cabin and the collection bucket are detachable structures, which can be disassembled and washed separately, but they must be dried before put back.

Disassembly steps:

- Unplug the power supply adapter.
- Take out the top cover (refer to the product sketch).
- Remove the fixing band (refer to the product sketch).
- Take out the cleaning cabin.

6. Common Failures and Troubleshooting Methods

Item	Failure	Cause Analysis	Troubleshooting
1	The weight value has changed	<ol style="list-style-type: none">1. Check if the placement is balanced and stable, check if it is placed on a hard floor or wooden floor.2. Check if the cat litter pad is in contact with the device.3. Check if there are other objects in contact with the device.	Reposition device.
2	Not work	<ol style="list-style-type: none">1. Sensor initialization error.2. Malfunction	Restart the device. If it still does not work, please contact customer service.

※If it still fails after done the above, please call the customer service for consultation.

Note: The company reserves the right to change the technology and appearance of the product. Specifications and information are subject to change without notice.