

V2L POWER Strip

Vehicle-to-load (V2L) Bidirectional charge adapter



Get going with the V2L Power Adapter, your essential Power source for emergency backup

V2L power strip is a device used to extract power from an electric vehicle's battery and use it to power external devices or even a household. This adapter allows electric vehicles to serve as a mobile power source, allowing them to be used beyond just transportation and into power generation.

- Powering devices during camping, emergency situations
- Use as a backup power source during power outages with your EV.
- Provide an added level of versatility and practicality to electric vehicles.
- SAE-J1772™/IEC-62196 connector ensures compatibility with all EVs

Why V2L Power strip?

<p>Portability</p> <p>The v2l power strip can be taken and used anywhere, as long as the electric vehicle is present.</p>	<p>Convenience</p> <p>The V2L power strip eliminates the need to carry around multiple power adapters for various devices.</p>	<p>Cost savings</p> <p>Can be more cost-efficient than using standard electrical power outlets, especially during peak hours when electricity rates are higher.</p>
<p>Universal Compatibility</p> <p>SAE-J1772™ IEC-62196 plug ensures compatibility with all EVs*</p>	<p>Environmental benefits</p> <p>Using a V2L power strip promotes clean energy and reduces the carbon footprint of powering devices.</p>	<p>Emergency Backup</p> <p>Backup power supply during power outages. It can be used to power critical devices such as medical equipment, communication devices, and lighting</p>



US



UK



EU

V2L Power Strip Sepcification

Electrical Characteristics	<ul style="list-style-type: none"> › Safety Rated: 16A Max › Single phase AC Output: nominal voltage 110-240 VAC ~50/60 Hz › USB Output: 5V DC,2A
Input Plug	› SAE 1772 / IEC-62196
Output Cable & Connector	<ul style="list-style-type: none"> › 2U x AC outputs › 1 type-c, 1xUSB standard › Cable Length: 5Meter
Electrical Protection	<ul style="list-style-type: none"> › Over load Protection › Anti-flame Portection
Weight & Dimensions	<ul style="list-style-type: none"> › Main enclosure: 16.3*5.0*4.5CM › 15 lbs/6.8 kg
Safety Standards	<ul style="list-style-type: none"> › FCC/UL › CE compliant
Warranty	› 2-year limited product warranty (parts only) for use under normal residential operating conditions
Made in China	› From domestic & imported parts

